




Ergebnis:	366	(384.2)
Serien:	91 91 92 92	
Zähler:	13 22 3 2 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	2668 (32), 2453 (16), 2333 (29)	
beste Teiler	184.3 (36.) 185.2 (35.) 283.1 (40.)	
Trefferlage	0.99 mm rechts, 2.61 mm tief	
Streuwert	8.60, horizontal: 8.64, vertikal: 8.56	




Serie 1:

9.5 ↗	10.1 ←	9.2 ↓	9.1 ←	9.2 →
9.7 ↓	8.5 ↘	9.4 ↘	9.2 ↓	10.3 ↖
beste Teiler	510.5 (10.) 647.2 (2.) 982.6 (6.)			
Trefferlage	0.86 mm rechts, 5.20 mm tief			
Streuwert	8.68, horizontal: 9.85, vertikal: 7.33			




Serie 2:

10.4 *	9.7 →	10.3 →	9.9 ↓	10.5 *
7.9 →	10.4 *	9.7 ↓	9.2 ↑	8.3 ↓
beste Teiler	325.1 (15.) 423.7 (11.) 439.4 (17.)			
Trefferlage	0.00 mm, 2.12 mm tief			
Streuwert	9.24, horizontal: 10.63, vertikal: 7.61			



Serie 3:

9.6 ↙	9.8 →	10.3 →	9.8 →	9.7 ←
10.3 ↘	9.1 ↙	10.5 *	8.0 ↓	9.4 ↑
beste Teiler	388.8 (28.) 488.6 (26.) 511.7 (23.)			
Trefferlage	0.17 mm links, 1.54 mm tief			
Streuwert	8.65, horizontal: 8.31, vertikal: 8.98			





Serie 4:

9.4 ↓	7.6 ↗	9.2 ↓	10.5 *	10.7 *
10.7 *	9.2 ↘	9.8 ↓	9.5 →	10.6 *
beste Teiler	184.3 (36.) 185.2 (35.) 283.1 (40.)			
Trefferlage	3.27 mm rechts, 1.60 mm tief			
Streuwert	8.70, horizontal: 6.03, vertikal: 10.73			

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	362	(382.3)
Serien:	89 93 88 92	
Zähler:	11 22 5 2 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2531 (26), 2480 (2), 2315 (34)	
beste Teiler	122.7 (32.) 149.4 (40.) 304.7 (4.)	
Trefferlage	2.70 mm links, 0.85 mm hoch	
Streuwert	8.92, horizontal: 7.83, vertikal: 9.89	




Serie 1:

9.0 →	7.9 ↙	8.1 ←	10.6 *	9.6 ↖
10.2 ↘	9.7 ↘	9.3 ↘	9.9 ←	9.2 ↗
beste Teiler	304.7 (4.)	602.5 (6.)	803.8 (9.)	
Trefferlage	4.85 mm links, 1.47 mm hoch			
Streuwert	9.94, horizontal: 11.48, vertikal: 8.12			




Serie 2:

10.2 ↘	9.3 ↓	10.3 ↓	9.9 ↘	10.0 ↘
9.9 ↗	8.7 ↓	9.5 ↘	9.1 ↗	10.2 ↘
beste Teiler	546.6 (13.)	609.3 (20.)	640.7 (11.)	
Trefferlage	2.35 mm links, 2.98 mm tief			
Streuwert	7.54, horizontal: 6.00, vertikal: 8.81			



Serie 3:

9.3 ↑	10.5 *	9.8 ↓	8.8 ↑	8.2 ↑
7.8 ↑	9.0 ↗	10.3 ↘	9.8 ↘	9.8 ↑
beste Teiler	365.0 (22.)	515.2 (28.)	881.4 (29.)	
Trefferlage	0.91 mm links, 6.09 mm hoch			
Streuwert	9.94, horizontal: 4.98, vertikal: 13.15			





Serie 4:


9.8 ↙	10.8 *	9.7 ↘	8.1 ↗	10.6 *
9.6 ↗	9.3 ↗	9.9 ↑	9.8 ↘	10.8 *
beste Teiler	122.7 (32.)	149.4 (40.)	310.4 (35.)	
Trefferlage	2.67 mm links, 1.14 mm tief			
Streuwert	7.74, horizontal: 7.99, vertikal: 7.48			

Unterschrift des Schützen


Ergebnis: **371** (388.7)
 Serien: 91 93 95 92
 Zähler: 17 18 4 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2575 (15), 2090 (37), 1792 (2)
 beste Teiler 243.5 (20.) 316.8 (13.) 371.2 (5.)
 Trefferlage 0.37 mm links, 0.23 mm tief
 Streuwert 7.95, horizontal: 8.48, vertikal: 7.39




Serie 1:
 8.8 ↗ 8.7 ← 9.8 ↖ 9.6 ← 10.5 *
 10.1 ↘ 9.5 ↘ 10.3 → 9.2 ↘ 9.0 ↘
 beste Teiler 371.2 (5.) 526.0 (8.) 662.0 (6.)
 Trefferlage 1.73 mm rechts, 1.49 mm tief
 Streuwert 8.90, horizontal: 10.23, vertikal: 7.34



Serie 2:
 9.7 ← 10.1 ↖ 10.6 * 10.0 ↖ 7.7 ↑
 9.9 ↓ 10.2 ↖ 9.6 → 9.6 ↖ 10.6 *
 beste Teiler 243.5 (20.) 316.8 (13.) 628.6 (17.)
 Trefferlage 2.01 mm links, 2.54 mm hoch
 Streuwert 7.87, horizontal: 6.02, vertikal: 9.36





Serie 3:
 10.3 ↖ 8.9 ↖ 10.2 ↖ 10.2 → 9.7 ↖
 9.8 ↑ 10.4 * 10.1 ↑ 9.3 ↘ 10.0 ←
 beste Teiler 401.6 (27.) 492.4 (21.) 625.2 (23.)
 Trefferlage 1.45 mm links, 0.33 mm hoch
 Streuwert 6.87, horizontal: 6.04, vertikal: 7.61




Serie 4:
 9.5 ↘ 9.1 ← 9.0 → 10.4 * 9.5 →
 10.5 * 8.3 ← 9.7 ↘ 10.4 * 9.9 ↑
 beste Teiler 392.7 (36.) 426.9 (39.) 435.8 (34.)
 Trefferlage 0.24 mm rechts, 2.30 mm tief
 Streuwert 8.55, horizontal: 11.14, vertikal: 4.67

Unterschrift des Schützen


Ergebnis: **348** (365.7)
 Serien: 86 87 83 92
 Zähler: 10 13 13 3 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3380 (7), 3008 (1), 2937 (17)
 beste Teiler 144.1 (3.) 149.8 (16.) 265.6 (9.)
 Trefferlage 3.92 mm links, 2.97 mm hoch
 Streuwert 11.31, horizontal: 10.51, vertikal: 12.05




Serie 1:
 7.2 ↘ 10.5 * 10.8 * 8.6 ↗ 9.5 ↗
 8.6 ↗ 6.7 ↗ 9.6 ↘ 10.6 * 9.3 ↘
 beste Teiler 144.1 (3.) 265.6 (9.) 361.5 (2.)
 Trefferlage 1.03 mm rechts, 6.41 mm hoch
 Streuwert 12.41, horizontal: 13.49, vertikal: 11.23



Serie 2:
 8.6 ↘ 10.2 ↗ 8.8 ↘ 10.1 ↘ 9.8 ↗
 10.8 * 7.3 ↖ 9.3 ↘ 8.9 ↘ 8.1 ↘
 beste Teiler 149.8 (16.) 579.0 (12.) 641.0 (14.)
 Trefferlage 7.94 mm links, 1.06 mm tief
 Streuwert 10.57, horizontal: 9.52, vertikal: 11.54





Serie 3:
 8.0 ↖ 9.6 ↑ 9.7 ↖ 8.7 ↗ 8.1 ↘
 8.7 ↘ 8.2 ↓ 9.2 ↘ 7.6 ↑ 9.5 ↑
 beste Teiler 1012.6 (23.) 1060.0 (22.) 1141.0 (30.)
 Trefferlage 4.60 mm links, 4.63 mm hoch
 Streuwert 13.02, horizontal: 10.79, vertikal: 14.92



Serie 4:
 10.0 ↘ 8.3 ↘ 10.6 * 8.9 ↑ 9.8 ↘
 10.0 ← 10.1 ← 9.0 ↗ 9.1 ↗ 9.3 ↘
 beste Teiler 295.0 (33.) 677.4 (37.) 736.4 (31.)
 Trefferlage 4.17 mm links, 1.90 mm hoch
 Streuwert 8.83, horizontal: 6.63, vertikal: 10.59

Unterschrift des Schützen


Ergebnis:	367	(387.3)
Serien:	95 93 90 89	
Zähler:	15 18 6 1 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2577 (37), 2391 (31), 2014 (21)	
beste Teiler	113.7 (29.) 207.7 (14.) 265.1 (36.)	
Trefferlage	0.55 mm links, 4.05 mm hoch	
Streuwert	7.82, horizontal: 8.20, vertikal: 7.43	



Serie 1:

10.3 ←	10.3 ↘	9.7 ↘	10.3 ←	9.6 ↘
9.5 ↙	10.0 →	10.1 ↗	8.8 ↖	10.6 *


beste Teiler 320.2 (10.) 509.1 (4.) 510.2 (2.)
 Trefferlage 3.10 mm links, 1.40 mm hoch
 Streuwert 6.32, horizontal: 7.23, vertikal: 5.25



Serie 2:

10.3 ↗	9.7 ↗	9.2 ↖	10.7 *	10.3 ←
8.9 ↗	9.5 ←	9.9 ↗	10.1 ↗	9.9 ←


beste Teiler 207.7 (14.) 503.0 (15.) 539.7 (11.)
 Trefferlage 0.52 mm rechts, 4.00 mm hoch
 Streuwert 6.58, horizontal: 7.47, vertikal: 5.56



Serie 3:

8.4 →	9.3 →	9.7 ↘	8.5 ↘	9.6 ↑
10.3 ←	9.9 ↑	10.4 *	10.8 *	8.8 ↑

beste Teiler 113.7 (29.) 447.7 (28.) 515.1 (26.)
 Trefferlage 0.38 mm rechts, 6.25 mm hoch
 Streuwert 8.21, horizontal: 9.58, vertikal: 6.55



Serie 4:



8.0 ↑	9.9 →	9.4 ↙	9.4 →	9.7 ↘
10.6 *	7.7 ↖	9.0 →	10.3 ↘	9.9 ←

beste Teiler 265.1 (36.) 521.9 (39.) 813.9 (40.)
 Trefferlage 0.02 mm links, 4.55 mm hoch
 Streuwert 10.14, horizontal: 9.03, vertikal: 11.14

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	365	(383.4)
Serien:	88 92 92 93	
Zähler:	13 20 6 1 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2455 (2), 2040 (24), 1889 (10)	
beste Teiler	208.1 (39.) 240.5 (40.) 273.0 (30.)	
Trefferlage	0.41 mm rechts, 1.68 mm hoch	
Streuwert	8.62, horizontal: 8.68, vertikal: 8.56	




Serie 1:

9.9 →	7.9 ←	9.1 ↘	10.1 ↑	9.9 ↑
8.6 ↘	9.1 ←	9.4 ↗	10.2 →	8.6 ↙
beste Teiler	571.9 (9.) 705.7 (4.) 845.7 (1.)			
Trefferlage	4.73 mm links, 3.91 mm hoch			
Streuwert	9.88, horizontal: 11.35, vertikal: 8.14			




Serie 2:

9.2 ↘	10.3 ←	9.0 ↘	9.1 ↗	9.3 ↑
8.7 ↗	9.2 ↑	9.5 ↗	10.3 ↓	10.0 ↘
beste Teiler	506.7 (12.) 542.6 (19.) 755.8 (20.)			
Trefferlage	3.89 mm rechts, 2.77 mm hoch			
Streuwert	8.66, horizontal: 6.59, vertikal: 10.33			



Serie 3:

10.4 *	8.7 ←	10.0 ↘	8.4 ↓	9.7 ↑
10.2 ↙	9.6 ↑	9.8 →	9.7 ↗	10.6 *
beste Teiler	273.0 (30.) 429.4 (21.) 562.2 (26.)			
Trefferlage	0.54 mm links, 1.26 mm hoch			
Streuwert	8.25, horizontal: 8.48, vertikal: 8.02			





Serie 4:


9.9 →	9.8 ↙	9.1 ↗	9.6 ↗	10.4 *
10.1 ↑	8.8 ↓	9.8 ↓	10.7 *	10.7 *
beste Teiler	208.1 (39.) 240.5 (40.) 461.5 (35.)			
Trefferlage	3.03 mm rechts, 1.21 mm tief			
Streuwert	6.88, horizontal: 5.56, vertikal: 7.98			

Unterschrift des Schützen


Ergebnis: **364** (378.9)
 Serien: 91 90 90 93
 Zähler: 12 20 8 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2117 (3), 2045 (22), 2007 (24)
 beste Teiler 86.0 (5.) 342.8 (14.) 350.4 (6.)
 Trefferlage 1.02 mm links, 2.02 mm hoch
 Streuwert 9.02, horizontal: 9.03, vertikal: 9.02




Serie 1:
 9.7 ↑ 9.1 ↓ 8.3 ↖ 9.2 ↙ 10.8 *
 10.5 * 10.0 → 8.6 ↗ 9.9 ↑ 9.9 ↙
 beste Teiler 86.0 (5.) 350.4 (6.) 787.0 (7.)
 Trefferlage 3.08 mm links, 0.58 mm tief
 Streuwert 8.91, horizontal: 7.44, vertikal: 10.16



Serie 2:
 9.7 ↓ 9.5 ↓ 8.8 ← 10.5 * 9.4 ↙
 9.3 ↗ 9.0 ↑ 8.8 ↗ 9.0 → 10.0 ↖
 beste Teiler 342.8 (14.) 769.1 (20.) 1038.5 (11.)
 Trefferlage 1.19 mm rechts, 0.63 mm hoch
 Streuwert 9.68, horizontal: 9.86, vertikal: 9.50



Serie 3:
 9.4 ↙ 8.4 ← 9.2 ↖ 8.4 ← 10.0 ↑
 9.1 ↙ 10.3 ↙ 9.5 ↑ 8.8 ↑ 10.1 ↖
 beste Teiler 494.1 (27.) 669.6 (30.) 794.1 (25.)
 Trefferlage 6.89 mm links, 3.28 mm hoch
 Streuwert 8.70, horizontal: 8.34, vertikal: 9.06





Serie 4:
 9.0 ↗ 9.1 ↑ 9.9 ↖ 10.0 → 9.2 ↑
 10.0 ↑ 10.0 ↑ 10.4 * 8.9 → 9.2 ↖
 beste Teiler 418.6 (38.) 747.4 (34.) 747.9 (37.)
 Trefferlage 4.67 mm rechts, 4.76 mm hoch
 Streuwert 7.20, horizontal: 6.82, vertikal: 7.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **311** (329.1)
 Serien: 80 80 75 76
 Zähler: 2 8 15 11 2 2 0 0 0 0
 Innenzehner: 0
 weiteste: 4623 (11), 4544 (25), 3718 (40)
 beste Teiler 549.1 (15.) 632.3 (16.) 891.0 (29.)
 Trefferlage 4.63 mm rechts, 5.01 mm hoch
 Streuwert 16.37, horizontal: 16.63, vertikal: 16.10




Serie 1:
 9.3 ↗ 9.5 ← 8.2 ↖ 8.2 → 8.7 ↖
 8.8 ↗ 9.5 ↗ 7.3 → 8.8 ↗ 6.4 ↗
 beste Teiler 1135.9 (2.) 1170.1 (7.) 1335.5 (1.)
 Trefferlage 8.65 mm rechts, 8.13 mm hoch
 Streuwert 13.14, horizontal: 17.00, vertikal: 7.49



Serie 2:
 5.2 ↑ 7.2 ↓ 8.2 ↗ 8.9 ↑ 10.3 ↑
 10.2 ↗ 8.8 ↙ 9.1 ↓ 7.1 ↖ 8.5 ↖
 beste Teiler 549.1 (15.) 632.3 (16.) 1487.9 (18.)
 Trefferlage 3.49 mm links, 6.25 mm hoch
 Streuwert 17.04, horizontal: 12.02, vertikal: 20.89



Serie 3:
 7.2 ↑ 8.3 ↙ 9.8 ↖ 9.8 ↑ 5.3 →
 7.8 ↗ 7.7 ↓ 7.1 → 9.8 ↓ 7.2 ↑
 beste Teiler 891.0 (29.) 935.8 (23.) 944.7 (24.)
 Trefferlage 8.23 mm rechts, 4.66 mm hoch
 Streuwert 18.17, horizontal: 17.83, vertikal: 18.50



Serie 4:
 7.5 ↖ 7.5 ↑ 8.2 ↗ 8.9 ↖ 8.6 ↘
 9.1 ↓ 8.5 → 7.5 ↘ 8.8 ← 6.3 ↘
 beste Teiler 1499.8 (36.) 1630.2 (34.) 1698.4 (39.)
 Trefferlage 5.15 mm rechts, 1.01 mm hoch
 Streuwert 17.32, horizontal: 18.47, vertikal: 16.08

Unterschrift des Schützen

Meyton Elektronik